Country of Origin

Radial lead Type

Series: HW

■ Feature

Miniaturized, high-capacitance, low-resistance. Can be charged and discharged with more cycles compared to secondary batteries. Pollution free: Has activated carbon and organic electrolyte. Does not contain polyvinyl chloride and lead.

■ Recommended Applications

RoHS directive compliant


Solar battery operated circuits (Road guidance flasher), Quick charging motor drives (Toy car) Back-up Power Supplies (UPS)

■ Specifications



Category temp. range	-25 to +70°C		-25 to +60°C				
Maximum Operating Voltage	2.3 V .DC		2.3 V .DC	2.1V .DC			
Nominal Cap. Range	1 to 22 F		30, 50 F	70F			
Capacitance Tolerance	-20 to +40%						
Characteristics at Low Temperature	Capacitance change	±30% of initial measured value at +20°C (-25 to +70°C, +60°C)					
	Internal resistance	≤ 4 times of initial measured value at +20°C (at -25°C)					
Endurance	After 1000 hours application of 2.3V. DC at +70°C(+60°C), the capacitor shall meet the following limits.						
	Capacitance change	±30% of initial measured value					
	Internal resistance	≤ 2 time of initial specified value					
Shelf Life	After 1000 hours storage at +70°C(+60°C) without load, the capacitor shall meet the specified limits for Endurance.						
Moisture Resistance	After 500 hours storage at +55°C, 90 to 95% R.H., the capacitor shall meet the specified limits for Endurance.						

■ Dimensions in mm (not to scale)



■ Standard Products

Category temp. range	Max. Operating Voltage	Capacitance	Internal resistance	Size(mm)				Part number	Min. Packaging Q'ty
(°C) (V.DC)		(F)	(Ω) at 1kHz	φD	L	φd	Р	, a.t. Harrison	(pcs)
-25 to +70	2.3	1.0	≦ 1.0	8.0	22.0	0.7	3.5	EECHW0D105	200
		3.3	≦ 0.3	12.5	23.0	8.0	5.0	EECHW0D335	200
		4.7	≦ 0.3	12.5	23.0	8.0	5.0	EECHW0D475	200
		10	≦ 0.2	12.5	35.0	8.0	5.0	EECHW0D106	100
		22	≦ 0.1	18.0	35.0	8.0	7.5	EECHW0D226	50
-25 to +60		30	≦ 0.1	18.0	35.0	8.0	7.5	EECHW0D306	50
		50	≦ 0.1	18.0	40.0	0.8	7.5	EECHW0D506	50
	2.1	70	≦ 0.1	18.0	50.0	8.0	7.5	EECHW0D706	50

Note:1. Do not use reflow soldering. (IR, Atmosphere heating methods, etc.)