

Product data sheet

Specifications



power cable - between servomotor
BDH, BSH and servodrive -
4x1.5mm²+2x1mm² - 10m

VW3M5101R100

Product availability: Stock - Normally stocked in distribution facility

Price*: 181.43 USD

Main

Product or Component Type	Power cable
Accessory / Separate Part Type	Preassembled power cordset
Accessory / separate part category	Connection accessory
Product compatibility	Servo motor BMH, 1 2.8 in (70 mm) Servo motor BMH, 2 2.8 in (70 mm) Servo motor BMH, 3 2.8 in (70 mm) Servo motor BMH, 1 3.9 in (100 mm) Servo motor BMH, 2 3.9 in (100 mm) Servo motor BMH, 3 3.9 in (100 mm) Servo motor BMH, 1 5.5 in (140 mm) Servo motor BSH, 1 2.2 in (55 mm) Servo motor BSH, 2 2.2 in (55 mm) Servo motor BSH, 3 2.2 in (55 mm) Servo motor BSH, 1 2.8 in (70 mm) Servo motor BSH, 2 2.8 in (70 mm) Servo motor BSH, 3 2.8 in (70 mm) Servo motor BSH, 1 3.9 in (100 mm) Servo motor BSH, 2 3.9 in (100 mm) Servo motor BSH, 3 3.9 in (100 mm) Servo motor BSH, 1 5.5 in (140 mm)
accessory / separate part destination	Between servo motor and servo drive
Range Compatibility	Lexium 32 Lexium 05 Lexium 15
Cable length	32.8 ft (10 m)
Cable composition	4 x 1.5 mm ² + 2 x 1 mm ²

Complementary

Electrical connection	Connector - industrial M23 servo motor side Free end servo drive side
Net Weight	5.05 lb(US) (2.29 kg)

Ordering and shipping details

Category	US1PC5118263
Discount Schedule	PC51
GTIN	3389119207317
Returnability	Yes
Country of origin	US

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.8 in (7.0 cm)
Package 1 Width	17.7 in (44.9 cm)
Package 1 Length	15.7 in (39.8 cm)
Package 1 Weight	5.265 lb(US) (2.388 kg)
Unit Type of Package 2	S06
Number of Units in Package 2	30
Package 2 Height	29.1 in (74 cm)
Package 2 Width	23.6 in (60 cm)
Package 2 Length	31.5 in (80 cm)
Package 2 Weight	186.60 lb(US) (84.64 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

✓ Pvc Free

Certifications & Standards

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)

California Proposition 65 WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
