

1604465

https://www.phoenixcontact.com/us/products/1604465

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable clamp type cage and shield adapter, shielded: yes, litz wire bundle diameter: 7.7 mm, cable diameter range: 9.5 mm \dots 10.5 mm, series: NC, RC, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1241791

Commercial data

Item number	1604465
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AB31
Product key	ABRAFU
GTIN	4046356249478
Weight per piece (including packing)	9 g
Weight per piece (excluding packing)	4.48 g
Customs tariff number	39269097
Country of origin	DE



1604465

https://www.phoenixcontact.com/us/products/1604465

Technical data

Product properties

Thread type

• •	
Product type	Cable clamp type cage
Series	NC
	RC
Type of the screw connection	EMC
Shielded	yes
Data management status	
Article revision	01
Cable/line	
External cable diameter	9.5 mm 10.5 mm
Mechanical properties	
Mechanical data	
Type of the screw connection	EMC
Mounting	

()



1604465

https://www.phoenixcontact.com/us/products/1604465

Classifications

UNSPSC 21.0

ECLASS

27144432
27140801
27140801
EC000441

39121300



1604465

https://www.phoenixcontact.com/us/products/1604465

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	acdb680b-baef-41fb-a269-ff899a769c58

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com