



Part Number : [2078450005](#)

Product Description : KK Plus 250 Terminal Position Assurance (TPA) Retainer, 5 Circuits, Natural

Series Number : 207845

Status : Active

Product Category : Connector Accessories

Documents & Resources

Drawings

[Drawing 2078450005_sd.pdf](#)

[Packaging Design Drawing 2078450000-PK-000.pdf](#)

3D Models and Design Files

[3D Model 2078450005_stp.zip](#)

Specifications

[Application Specification 2079020001-AS-000.pdf](#)

[Product Specification 2079020001-PS-000.pdf](#)

[Product Specification 2079020001-PS-CH-000.pdf](#)

[Product Specification 2079020001-PS-ES-000.pdf](#)


[Product Specification 2079020001-PS-JP-000.pdf](#)

[Product Specification 2079020001-PS-SK-000.pdf](#)

[Test Summary 2079020000-TS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Accessories
Series	207845
Description	KK Plus 250 Terminal Position Assurance (TPA) Retainer, 5 Circuits, Natural
Component Type	Terminal Position Assurance
Product Family	KK Interconnect Systems
Product Name	KK Plus
UPC	191130124039

Agency

CSA	152514
-----	--------

Physical

Circuits (Loaded)	5
Circuits (maximum)	5
Color - Resin	Natural
Flammability	94V-0
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.086/g
Number of Rows	1
Packaging Type	Bag
Temperature Range - Operating	-40° to +105°C

Use with Part(s)

Description	Part Number
KK Plus 250 Receptacle Housing, 2.50mm Pitch, Single Row, 5 Circuits, UL 94V-0, Black, Glow-Wire Capable	/content/molex/molex-dot-com/us/en/products/product-page-pdf.html/2078410005.html

This document was generated on Sep 18, 2024