



wire connector large 2 units accessory for: 3VA4/5 125

Model			
product brand name	SETRON		
product designation	accessories		
Product version	circular conductor terminal		
Accessories	Wire connector		
General technical data			
designation / of the terminal	TA2.1		
Voltage			
Current			
Mechanical Design			
Connections according IEC			
IEC-marking / of terminals	25-150 mm ² CU/AL>NNL		
connectable conductor cross-section			
<ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum 	25 mm ² 150 mm ² 25 mm ² 150 mm ²		
stripped length	30,5 mm		
Connections according UL			
UL-marking / of terminals	TA2.1 CMC 4-300 CU7AL UR CSA		
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C		
stripped length	1.2 in		
connectable conductor cross-section			
<ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for copper cable / finely stranded / minimum for copper cable / finely stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum 	4 AWG 300 kcmil 4 AWG 300 kcmil 4 AWG 300 kcmil		
tightening torque / when using copper cables			
<ul style="list-style-type: none"> stranded finely stranded 	4 AWG - 350 kcmil: 252 lb-in 4 AWG - 350 kcmil: 252 lb-in		
Certificates			
General Product Approval	EMC	Declaration of Conformity	Shipping Approval



[Miscellaneous](#)



other

[Manufacturer
Declaration](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9132-0JJ12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)



<https://support.industry.siemens.com/cs/ww/en/ps/3VA9132-0JJ12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9132-0JJ12

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/20/2020 