

ELCON

TE Internal #: 1648548-1 Housing, Plug, Wire-to-Board, 4 Position, 18.42 mm [.725 in] Centerline, Wire & Cable, UL 94V-0, Rectangular Power Connectors View on TE.com >

connectivity

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: Housing

Connector & Housing Type: Plug

Connector System: Wire-to-Board

Number of Positions: 4

Centerline (Pitch): 18.42 mm [.725 in]

Features

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	4
PCB Mount Orientation	Vertical
Number of Power Positions	4
Electrical Characteristics	
Operating Voltage	250 VDC
Contact Features	
Contact Current Rating (Max)	200 A
Contact Retention Within Housing	Without

1648548-1

Housing, Plug, Wire-to-Board, 4 Position, 18.42 mm [.725 in] Centerline, Wire & Cable, UL 94V-0, Rectangular Power Connectors



Contact Type	Pin
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	18.42 mm[.725 in]
Housing Color	Black
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire
Packaging Features	

· ·	Mathaa	D.	- I	1	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	

1648548-1

Housing, Plug, Wire-to-Board, 4 Position, 18.42 mm [.725 in] Centerline, Wire & Cable, UL 94V-0, Rectangular Power Connectors



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1648574-1 296-0040-01100=SA CONN,SKT



Customers Also Bought



J C	= TE	CICIC PITE	TE TE
TE Part #66597-2	TE Part #207153-1	TE Part #207152-1	TE Part #207018-1
Strip Pin and Socket Contacts, Type III	6 POS SQ GRID METRIMATE-RCPT	6 POS SQ GRID METRIMATE-PLUG	METRIMATE RCPT 12 POS
	TE		
TE Part #211150-1	TE Part #6648416-1	TE Part #207017-1	TE Part #211149-1
METRIMATE SKT HSG 25P	CONTACT,SKT,SIZE #0	METRIMATE PLUG, 12 POS	PIN HSG,25 POSN,METRIMATE

1648548-1

Housing, Plug, Wire-to-Board, 4 Position, 18.42 mm [.725 in] Centerline, Wire & Cable, UL 94V-0, Rectangular Power Connectors





Documents

Product Drawings 295-0040-01100

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1648548-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1648548-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1648548-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED

English

AMP & ELCON Power Connector Layout Forms Datasheet 6-1773444-7

English

Product Specifications Application Specification

English