

ELCON

TE Internal #: 1648132-1 Header, Wire-to-Wire, Wire & Cable, UL 94V-0, Power & Signal, Panel Mount, -40 – 105 °C, 250 VAC, 250 VDC, Rectangular Power Connectors

View on TE.com >



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: Header

Connector System: Wire-to-Wire

Sealable: No

Connector & Contact Terminates To: Wire & Cable

UL Flammability Rating: UL 94V-0

Features

Product Type Features

Rectangular Power Connector Type	Header
Connector System	Wire-to-Wire
Sealable	No

Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Power Positions	4
Number of Signal Positions	36
Electrical Characteristics	
Operating Voltage	250 VDC
Contact Features	
Contact Type	Pin
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Housing Color	Black
Housing Material	PBT
Usage Conditions	

C For support call+1 800 522 6752

1648132-1

Header, Wire-to-Wire, Wire & Cable, UL 94V-0, Power & Signal, Panel Mount, -40 – 105 °C, 250 VAC, 250 VDC, Rectangular Power Connectors



Operating Temperature Range	-40 – 105 °C	
Operation/Application		
Circuit Application	Power & Signal	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Product Compliance For compliance documentation, visit the product page on TE.com>	Compliant	
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Wave solder capable to 265°C	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

1648132-1

Header, Wire-to-Wire, Wire & Cable, UL 94V-0, Power & Signal, Panel Mount, -40 – 105 °C, 250 VAC, 250 VDC, Rectangular Power Connectors





Customers Also Bought



	703-12-00100	702-03-02113-3CILEW, SITEDIN, 0-32	255-0105-01100-CONN,5K1.5QK DWK
=TE			
TE Part #2305570-1			
Strip Terminal Cutter-Side Feed-No			

Documents

Product Drawings 235-0162-01100=SA CONN,PIN

English

Crimp

CAD Files

Customer View Model ENG_CVM_CVM_1648132-1_B.2d_dxf.zip

English

3D PDF

1648132-1

Header, Wire-to-Wire, Wire & Cable, UL 94V-0, Power & Signal, Panel Mount, -40 – 105 °C, 250 VAC, 250 VDC, Rectangular Power Connectors



3D

Customer View Model ENG_CVM_CVM_1648132-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1648132-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED

English

AMP & ELCON Power Connector Layout Forms Datasheet 6-1773444-7

English

Product Specifications

Product Specification

English