

#### Rail D-Sub Backshells

TE Internal #: 2-2308348-7

Crimp Flange, Shielded, Rail D-Sub Backshells

View on TE.com >



Connectors > Connector Accessories > Connector Strain Relief > Crimp Flange for Size 4-5 STD/5QL Shell











Strain Relief Accessory Type: Crimp Flange

Shielded: Yes

Thread Size: None

Operating Temperature Range: -40 - 90 °C [-40 - 194 °F]

All Crimp Flange for Size 4-5 STD/5QL Shell (17)

#### **Features**

#### Product Type Features

| Strain Relief Accessory Type | Crimp Flange              |
|------------------------------|---------------------------|
| Mechanical Attachment        |                           |
| Thread Size                  | None                      |
| Usage Conditions             |                           |
| Operating Temperature Range  | -40 – 90 °C[-40 – 194 °F] |
| Operation/Application        |                           |
| Shielded                     | Yes                       |

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant with Exemptions            |
|---|--------------------------------------|
| EU ELV Directive 2000/53/EC                   | Not Yet Reviewed                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006        |                                      |



Current ECHA Candidate List: JUNE 2024

(241)

Candidate List Declared Against: JUNE

2024 (241)

SVHC > Threshold:

Pb (3.5% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



### Also in the Series | Rail D-Sub Backshells





Connector Contacts(5)




Connector Hardware(19)




Connector Strain Relief(67)





# Customers Also Bought

















### **Documents**

**Product Drawings** 

**CRIMP FLANGE 17 LARGE** 

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-2308348-7\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-2308348-7\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-2308348-7\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.



Datasheets & Catalog Pages
Rail D-Sub Backshells Flyer

English