

Product data sheet

Specifications



Power Cord Splitter, C20 to (2)C13, 0.5m

AP9888

⚠ Discontinued on: Oct 4, 2023

⚠ Discontinued

Overview

Presentation This unique Y cable takes a single C20 input and splits into two C13 outlets. This allows for multiple outputs to be connected to a single output on a rack PDU.

Lead time Usually in Stock

Main

Main Output Voltage 208 V

Input Connection Type IEC 60320 C20

Cable length 0.5 m

Physical

Height 7.6 cm

Width 15.2 cm

Depth 5.1 cm

Net weight 0.2 kg

Mounting preference No preference

mounting mode Not rack-mountable

Input

Max line current 15 A

Input current limits 15 A

Output

Number of power socket outlets 2 IEC 60320 C13

Conformance

Product certifications UL listed

Environmental

Ambient air temperature for operation -10...40 °C

Relative humidity 20...80 %

Operating altitude 0...10000 ft

Ambient air temperature for storage 10...30 °C

Storage Relative Humidity	20...80 %
----------------------------------	-----------

Storage altitude	0.0000000000...15240.0000000000 m
-------------------------	-----------------------------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	5.4 cm
-------------------------	--------

Package 1 Width	16.5 cm
------------------------	---------

Package 1 Length	18.4 cm
-------------------------	---------

Package 1 Weight	0.27 kg
-------------------------	---------

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Lead Free

Certifications & Standards

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile

[End of Life Information](#)

California Proposition 65

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov