Product data sheet

Specifications



Cable ends, Linergy TR cable ends, single conductor, red, 1mmÂ², for insulated cable, short size, 10 sets of 100

DZ5CE010L6D

Main

Range of product	Linergy
Product or component type	Cable end
Cable end size	Short
Standards	DIN 46228-4
Type of packing	String of bags
Quantity per set	10 sets of 100
Cable cross section	1 mm ²

Complementary

Cable end typeSingle conductorAdditional informationWithout marker tag holderColourRedBezel materialHalogen-free plasticTube materialCopper conforming to ISO 1337Number of cables1AWG gaugeAWG 18Bezel sizeØ 3.5 mmTube diameter1.7 mmLength12 mm		
ColourRedBezel materialHalogen-free plasticTube materialCopper conforming to ISO 1337Number of cables1AWG gaugeAWG 18Bezel sizeØ 3.5 mmTube diameter1.7 mmLength12 mm	and type Singl	e conductor
Bezel material Halogen-free plastic Tube material Copper conforming to ISO 1337 Number of cables 1 AWG gauge AWG 18 Bezel size Ø 3.5 mm Tube diameter 1.7 mm Length 12 mm	nal information With	ut marker tag holder
Tube material Copper conforming to ISO 1337 Number of cables 1 AWG gauge AWG 18 Bezel size Ø 3.5 mm Tube diameter 1.7 mm Length 12 mm	Red	
Number of cables 1 AWG gauge AWG 18 Bezel size Ø 3.5 mm Tube diameter 1.7 mm Length 12 mm	naterial Halo	jen-free plastic
AWG gauge AWG 18 Bezel size Ø 3.5 mm Tube diameter 1.7 mm Length 12 mm	iaterial Copp	er conforming to ISO 1337
Bezel size Ø 3.5 mm Tube diameter 1.7 mm Length 12 mm	r of cables 1	
Tube diameter 1.7 mm Length 12 mm	auge AWG	18
Length 12 mm	ize Ø 3.5	mm
	iameter 1.7 n	m
		- n
Tube length 6 mm	ength 6 mn	
Net weight 0.095 kg	ight 0.095	kg

Environment

Product certifications	UL
Ambient air temperature for operation	-20105 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.400 cm
Package 1 Width	0.400 cm
Package 1 Length	1.400 cm

Package 1 Weight	0.100 g
Unit Type of Package 2	BB1
Number of Units in Package 2	1000
Package 2 Height	2.500 cm
Package 2 Width	11.000 cm
Package 2 Length	18.000 cm
Package 2 Weight	95.000 g
Unit Type of Package 3	S01
Number of Units in Package 3	15000
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	1.637 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information