



Antennas



Wireless Application: **Wi-Fi**

Mounting Location: **External**

Mounting Type: **Pole/Mast/Bracket Mount**

Frequency Category: **2400 – 7125**

Antenna Type: **Panel**

Features

Product Type Features

Antenna Termination	RP-SMA
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Panel
Mounting Location	External
Antenna Type	Panel
Band Type	Triple Band
Port Configuration	Multiple Ports

Electrical Characteristics

Antenna Operation	Passive
VSWR (Max)	< 2.0:1
Impedance	50 Ω

Signal Characteristics

Gain (Max)	6 dB
Frequency Band	2400 – 2500 MHz, 4900 – 5900 MHz, 6000 –

7125 MHz

Frequency Category

2400 – 7125

Peak Gain

> 6 dBi

Body Features

Product Weight

5.4 g[19.05 oz]

Mechanical Attachment

Polarization

Dual Slant 45°

Mounting Type

Pole/Mast/Bracket Mount

Dimensions

Cable Insulation Diameter (Max)

2.8 mm[.11 in]

Cable Length

.75 m[2.46 ft]

Product Width

200 mm[7.87 in]

Product Length

200 mm[7.87 in]

Product Height

46.5 mm[1.83 in]

Operation/Application

Antenna Environment

Outdoor

Wireless Standard

802.11 a/g/n/ac/ax/be Wifi

Directionality

Directional

Industry Standards

IP Rating

IP67

Wireless Application

Wi-Fi

Primary Application

Wi-Fi

Product Availability

Applicable Region

Global

Packaging Features

Packaging Method

Box

Other

Precision Level

Standard

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions



EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.42% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # C58LL-RPSM-2438-NM
RP-SMA to N Type 2458mm RG58



TE Part # L000684-03
PANEL, TRI-BAND, 75CM, RP-SMAM, 2P



TE Part # PSQ24495-91NF
Panel, Dband, 91CM, NF 2.4-6.0, 5dBi, 2P



TE Part # PSQ24495-91NM
Panel, Dband, 91CM, NM 2.4-6.0, 5dBi, 2P



Documents

Product Drawings

[PANEL,TRI-BAND,75CM, RP-SMAM, 4P](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_L000684-04_1.3d_igs.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_L000684-04_1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_L000684-04_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ANT-DS-L000684](#)

English

[Instruction Manual](#)

English

Product Specifications

[Product Specification](#)

English