


Z-PACK 2mm HM

TE Internal #: 5646957-1 Header, Plug, Board-to-Board, 7 Position, 3 mm [.118 in] Centerline, Printed Circuit Board, UL 94V-0, Z-PACK 2mm HM, Rectangular Power Connectors

View on TE.com >

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: Header

Connector & Housing Type: Plug

Connector System: Board-to-Board

Number of Positions: **7**

Centerline (Pitch): 3 mm [.118 in]

Features

Product Type Features

Header Type	Fully Shrouded
Rectangular Power Connector Type	Header
Connector & Housing Type	Plug



Connector System	Board-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Positions	7			
PCB Mount Orientation	Right Angle			
Number of Power Positions	7			
Number of Signal Positions	0			
Number of Rows	0			
Electrical Characteristics				
Operating Voltage	30 VDC			
Contact Features				
PCB Contact Termination Area Plating Material Thickness	3.81 – 8.89 μm[150 – 350 μin]			
Contact Mating Area Plating Material	Gold, Gold Flash over Palladium Nickel			
Contact Underplating Material	Nickel			

C For support call+1 800 522 6752

Header, Plug, Board-to-Board, 7 Position, 3 mm [.118 in] Centerline, Printed Circuit Board, UL 94V-0, Z-PACK 2mm HM, Rectangular Power Connectors



Contact Base Material	Phosphor Bronze			
Contact Current Rating (Max)	10 A			
Contact Retention Within Housing	With			
Contact Type	Blade			
PCB Contact Termination Area Plating Material	Tin			
Contact Mating Area Plating Material Thickness	.5 – 1.25 μm[19.68 – 49.21 μin]			
Termination Features				
Termination Post & Tail Length	3.43 mm[.135 in]			
Termination Method to PCB	Through Hole - Press-Fit			
Mechanical Attachment				
Connector Mounting Type	Board Mount			
Housing Features				
Centerline (Pitch)	3 mm[.118 in]			
Housing Color	Gray			
Housing Material	Polyester GF			

Dimensions

PCB Thickness (Recommended)

1.6 mm[.063 in]

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]				
Operation/Application					
Circuit Application	Power				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Glow Wire Rating	Standard Part - Not Glow Wire				
Packaging Features					
Packaging Method	Box & Tube, Tube				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				

C For support call+1 800 522 6752

Header, Plug, Board-to-Board, 7 Position, 3 mm [.118 in] Centerline, Printed Circuit Board, UL 94V-0, Z-PACK 2mm HM, Rectangular Power Connectors



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024	
	(241) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series Z-PACK 2mm HM



Header, Plug, Board-to-Board, 7 Position, 3 mm [.118 in] Centerline, Printed Circuit Board, UL 94V-0, Z-PACK 2mm HM, Rectangular Power Connectors







Customers Also Bought



TE Part #3-338309-2 9POS.HD20 PLUG ASSY	TE Part #5188399-1 Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm	TE Part #4-2176328-9 CRGP 1206 100K 1%	TE Part #5352069-1 Z-PACK/B25 RAF 125P
TE Part #2291931-1 CDFP RCPT CONNECTOR & CAGE STYLE 1	TE Part #6469083-1 HMZD 3PAIR, HDR ASSY, 25MM MOD	TE Part #881545-1 SHUNT LP W/HANDLE 2POS 15AU	TE Part #2-2347090-1 SOCKET 4677 DG1.0 FOR ODM

Documents

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_5646957-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_5646957-1_A.3d_igs.zip

Header, Plug, Board-to-Board, 7 Position, 3 mm [.118 in] Centerline, Printed Circuit Board, UL 94V-0, Z-PACK 2mm HM, Rectangular Power Connectors



English

Customer View Model ENG_CVM_5646957-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC01_BOARD_TO_BOARD

English

2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications

Engineering Report

English