




Relays & Contactors > Circuit Breakers



Circuit Breaker Type: **Magnetic**

Circuit Function: **Series Trip**

Illuminated: **Without**

Actuator Color: **White**

Operating Voltage: **65 VDC**

Features

Product Type Features

Illumination Type	No Light
Actuator Type	Toggle
Circuit Breaker Type	Magnetic
Illuminated	Without

Configuration Features

	.75 x 1.66 in
Circuit Function	Series Trip
Number of Poles	1

Electrical Characteristics

Operating Voltage	65 VDC
Current Rating	5 A
Interrupt Capacity	5000A @ 277VAC

Body Features

Actuator Color	White
----------------	-------

Contact Features

Trip Time at 200%	2.2 – 20 seconds
-------------------	------------------

Termination Features

Terminal Configuration	6.35 [.25] Straight Quick Connect Tab
------------------------	---------------------------------------



Mechanical Attachment

Mounting Options	6-32 Mounting Threads
------------------	-----------------------

Dimensions

	.047 – .11 in
Product Height	50.8 mm[2 in]

Identification Marking

Stamped Marking Type	International I/O
----------------------	-------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component Part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 6-1393252-2
W67-X2Q12-5=M6/M7/M9/W6/W7



TE Part # 4-1393252-0
W67-X2Q10-5=M6/M7/M9/W6/W7



TE Part # 7-1393252-3
W67-X2Q13-5=M6/M7/M9/W6/W7



TE Part # 175022-1
250 PL EX REC. 18-14AWG PTBR




TE Part # 7-1393252-9
W67-X2Q50-5=M6/M7/M9/W6/W7



TE Part # 9-1393252-5
W67-X2Q734-5=M6/M7/M9/W6/W7

Also in the Series | Potter & Brumfield W6



Circuit Breakers(70)

Customers Also Bought



TE Part #1-1827872-3
DYNAMIC 1100D HDR ASSY V 26P
XBLACK GOLD



TE Part #1747499-2
DYNAMIC D4200 REC CONT M/LP



TE Part #1827589-2
DYNAMIC D1000 REC CONT 2L AU
0.38um L/P



TE Part #1-1827864-4
DYNAMIC 1200D REC HSG 8P X
BLACK



TE Part #1-1827875-3
DYNAMIC 1200D HDR ASSY V 6P X
BLACK GOLD



TE Part #5535070-5
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part #4-1393254-4
W91-X152-20=M6/M7/M9/W6/W7



TE Part #8-1393252-5
W67-X2Q52-25=M6/M7/M9/W6/W7



Documents

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_8-1393252-7_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_8-1393252-7_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_8-1393252-7_C.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_8-1393252-7_1106.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_8-1393252-7_1106.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_8-1393252-7_1106.2d_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[W6/W9 Magnetic Hydraulic Circuit Breaker](#)

English

Agency Approvals

[UL](#)

English