






SECTION A-A



CARD INSERTION

NOTES:

1. MATERIAL:

- 1.1 HOUSING: THERMOPLASTIC, HIGH TEMP, UL94V-0, BLACK COLOR.
- 1.2 CONTACT: COPPER ALLOY.
- 1.3 PEGS: COPPER ALLOY.

2. FINISH:

- 2.1 CONTACT: (SEE TABLE) GOLD PLATING ON THE CONTACT AREA.
100u" MIN. MATTE-TIN PLATING ON THE SOLDER TAIL AREA.
50u" MIN. NICKEL UNDERPLATING OVERALL.
- 2.2 PEGS: 100u" MIN. MATTE-TIN PLATING ALL OVER
50u" MIN. NICKEL UNDERPLATING OVERALL.

3. PACKAGING SPEC.: M204006

4. PART NO.:

91302 - 225 - 067 R X X - XX

- 225: 2.25mm HEIGHT
- 67 CONTACTS
- PACKING OPTIONS
R: TAPE & REEL
- LOGO
BLANK: WITHOUT LOGO
KM: KEMAX
- KEY ID OPTIONS
A, B, C, D, E, F
G, H, J, K, L, M
- CONTACT AREA PLATING
2: G/F
C: 15u" Au
D: 30u" Au

1.375	1.125	1.5	14.0	2.0	14.0	6.125	M
1.375	1.125	2.5	13.0	3.0	13.0	5.125	L
1.375	1.125	3.5	12.0	4.0	12.0	4.125	K
1.375	1.125	4.5	11.0	5.0	11.0	3.125	J
1.375	1.125	5.5	10.0	6.0	10.0	2.125	H
1.375	1.125	6.5	9.0	7.0	9.0	1.125	G
DIM. G	DIM. F	DIM. E	DIM. D	DIM. C	DIM. B	DIM. A	KEY ID

1.125	1.375	9.5	6.0	9.5	6.5	-1.625	F
1.125	1.375	10.5	5.0	10.5	5.5	-2.625	E
1.125	1.375	11.5	4.0	11.5	4.5	-3.625	D
1.125	1.375	12.5	3.0	12.5	3.5	-4.625	C
1.125	1.375	13.5	2.0	13.5	2.5	-5.625	B
1.125	1.375	14.5	1.0	14.5	1.5	-6.625	A
DIM. G	DIM. F	DIM. E	DIM. D	DIM. C	DIM. B	DIM. A	KEY ID

REV	ECN NO.	NAME	DATE	TOLERANCE	
				LINEAR	ANGLES
2	-----	Schumi	Aug,08,2024	X.±0.40	X'±
1	-----	Lin xuejun	Dec,27,2023	.X±0.30	.X'±
0	-----	Lin xuejun	Dec,25,2023	.XX±0.20	.XX'±
REV	ECN NO.	NAME	DATE	.XXX±0.10	.XXX'±

UMax 东莞市友贸实业有限公司
conn DONGGUAN UMAX ENTERPRISE LIMITED


TITLE: M.2 CONN. P=0.5
2.25mm H, GEN4

PART NO. 91302-225-067RXX


DWG NO. C-91302-225

UNITS	SCALE	SHEET	REV
MM	1 : 1	1 OF 4	2

CUSTOMER



				TOLERANCE		UMax 东莞市友贸实业有限公司 conn DONGGUAN UMAX ENTERPRISE LIMITED		TITLE: M.2 CONN. P=0.5 2.25mm H, GEN4					
				LINEAR	ANGLES			PART NO. 91302-225-067RXX					
				X.±0.40	X'.±			DWG NO. C-91302-225					
				.X±0.30	.X'±			APPD: Jason	MAT'L:				
	SEE SHEET 1			.XX±0.20	.XX'±	CHKD: Schumi	FINISH:			UNITS	SCALE	SHEET	REV
REV	ECN NO.	NAME	DATE	.XXX±0.10	.XXX'±	DRWN: Lin xuejun	Q'TY:			MM	1 : 1	2 OF 4	2
2		3		4		5		6		7		8 CUSTOMER	



RECOMMENDED PCB LAYOUT
(COMPONENT SIDE)
TOLERANCE: ± 0.05

REV	SEE SHEET 1	NAME	DATE
ECN NO.			

TOLERANCE		UMax 东莞市友贸实业有限公司 DONGGUAN UMAX ENTERPRISE LIMITED	
LINEAR	ANGLES		
$X \pm 0.40$	$X^\circ \pm$	APPD: Jason	MAT'L:
$X \pm 0.30$	$X^\circ \pm$	CHKD: Schumi	FINISH:
$.XX \pm 0.20$	$.XX^\circ \pm$	DRWN: Lin xuejun	Q'TY:
$.XXX \pm 0.10$	$.XXX^\circ \pm$		

TITLE:		M.2 CONN. P=0.5 2.25mm H, GEN4			
PART NO.		91302-225-067RXX			
DWG NO.		C-91302-225			
		UNITS	SCALE	SHEET	REV
		MM	1 : 1	3 OF 4	2

CUSTOMER

