




**Part Number :** [334680021](#)

**Product Description :** 2.54mm Pitch MX64 Terminal, Tin (Sn) Plating, 0.35mm<sup>2</sup> Wire, Left Reel Payoff, Also used with MX123 Female Receptacle Housing

**Series Number :** 33468

**Status :** Active

**Product Category :** Crimp Terminals



---

## Documents & Resources

### Drawings

[Drawing 334680021\\_sd.pdf](#)

[Packaging Design Drawing PK-30907-759-001.pdf](#)

[Packaging Design Drawing PK-31302-480-001.pdf](#)

### Specifications

[Application Specification AS-33468-002-001.pdf](#)

[Product Specification PS-33468-001-001.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Compliant with Exemption 44; 34; 33
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Crimp Terminals
Series	33468
Description	2.54mm Pitch MX64 Terminal, Tin (Sn) Plating, 0.35mm <sup>2</sup> Wire, Left Reel Payoff, Also used with MX123 Female Receptacle Housing
Application	Automotive, Power, Wire-to-Board, Wire-to-Wire
Comments	Left Reel Payoff
Product Family	MX64 Sealed Connectors
Product Name	MX123,MX64
UPC	884982719996

### Physical

Gender	Female
Material - Metal	Copper
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.213/g
Packaging Type	Reel
Plating min - Mating	2.540µm
Plating min - Termination	1.905µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.50-2.06mm
Wire Size (AWG)	N/A
Wire Size mm <sup>2</sup>	0.35

---

## Use with Part(s)

Description	Part Number
MX64 Sealed Single Row Receptacle Housings	<u>31403</u>
MX123 Receptacle Housings	<u>34566</u>
MX123 Female Receptacle Housings	<u>34576</u>

---

## Application Tooling

### Global

Description	Part Number
Hand Tool for MX64 ISO Terminal	<u>638258400</u>
FineAdjust Applicator for MX64 ISO Terminal	<u>639025100</u>

---

This document was generated on Sep 20, 2024