

FOAM FILLER MATERIAL  
NUMBER 96720-0001  
SEE NOTE 4

PACKAGING TRAY  
(SEE CHART)  
(1) EMPTY  
(4) FULL


STRETCH WRAP  
8525-0003  
SEE NOTE 5

PRIMARY CARTON 96707-1003  
OR 96707-0003


LABEL TO BE  
LOCATED AS SHOWN

NOTES:

- PARTS TO BE ORIENTED IN PACKAGING TRAYS AS SHOWN.
- REFER TO CHART FOR PACKAGING TRAY MATERIAL NUMBER.
- 96707-1003 OR 96707-0003 PRIMARY SHIPPING CARTON TO BE SEALED WITH 2.0 INCH WIDE TAPE.
- USE FOAM FILLER AS REQUIRED TO TAKE UP EXCESS SPACE INSIDE CARTON.
- STRETCH WRAP SHOULD BE USED IN THE AREAS SHOWN. WRAP STACK WITH A MINIMUM OF 3-5 WRAPS.



PART ORIENTATION IN TRAY

<b>FUNCTIONAL SYMBOLS</b> $\frac{E}{A} = 0$ $\frac{E}{C} = 0$ $\frac{E}{P} = 0$ <b>DIVISIONAL SYMBOLS</b>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: P/N ADDITION;		 PACKAGING SPECIFICATION LOW PROFILE HYBRID 45984 & 45985 SERIES PACKAGING DESIGN DRAWING			
	DIMENSION UNITS	SCALE	EC NO: 796588					
	mm	1:1	DRWN: BHARAK12 2024/08/27					
	GENERAL TOLERANCES (UNLESS SPECIFIED)		CHK'D: BHARAK12 2024/08/28					
	MM	INCH	APPR: SSHANMUGAN01 2024/08/28		DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
4 PLACES	±	±	INITIAL REVISION:		PK-45984-001	PDD	001	N6
3 PLACES	±	±	DRWN: BANDURA 2006/04/19					
2 PLACES	± 0.13	±	APPR: APATEL 2006/05/18					
1 PLACE	± 0.25	±	THIRD ANGLE PROJECTION		MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
0 PLACES	±	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE	GENERAL MARKET	1 OF 4	
	ANGULAR TOL	± 0.5°						
					A1-SIZE	45984		






STANDARD RECEPTACLES					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
3	45984-0003	24	5	25	100
5	45984-0007	16	4	20	80
2	45984-0008	24	7	35	140
2	45984-0017	24	7	35	140
2	45984-0019	16	8	40	160
5	45984-0025	16	4	20	80
4	45984-0083	24	4	20	80

RECEPTACLES WITH PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
2	45984-0005	24	6	30	120
4	45984-0010	12	5	25	100
4	45984-0009	24	4	20	80
2	45984-0011	24	6	30	120

RECEPTACLES WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
4	45984-0002	24	4	20	80
4	45984-0009	24	4	20	80
3	45984-0018	24	5	25	100
2	45984-0020	16	7	35	140
2	45984-0023	16	7	35	140

PLUGS WITH GUIDES AND/OR PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF SIGNALS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
4	45985-0002	24	4	20	80
3	45985-0004	12	6	30	120
2	45985-0005	24	6	30	120
4	45985-0006	40	3	15	60
4	45985-0007	20	4	20	80
3	45985-0008	12	5	25	100
5	45985-0009	32	3	15	60
6	45985-0010	24	6	30	120
2	45985-0012	20	6	30	120
2	45985-0013	12	7	35	140
2	45985-0014	12	7	35	140
3	45985-0015	12	5	25	100
2	45985-0016	16	7	35	140
2	45985-0017	40	5	25	100
4	45985-0018	40	3	15	60
4	45985-0020	12	4	20	80
4	45985-0021	40	3	15	60
2	45985-0022	12	7	35	140
3	45985-0023	20	5	25	100
4	45985-0027	12	4	20	80
2	45985-0028	16	7	35	140
2	45985-0030	16	7	35	140

FUNCTIONAL SYMBOLS FA=0 FC=0 FP=0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: P/N ADDITION;		 <p>PACKAGING SPECIFICATION LOW PROFILE HYBRID 45984 &amp; 45985 SERIES</p>
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	1:1	MM	INCH	
	4 PLACES ±		±		
DIVISIONAL SYMBOLS	3 PLACES ±		±		<p>PACKAGING DESIGN DRAWING</p> <p>DOCUMENT NUMBER: PK-45984-001   DOC TYPE: PDD   DOC PART: 001   REVISION: N6</p>
	2 PLACES ± 0.13		±		
	1 PLACE ± 0.25		±		
	0 PLACES ±		±		
ANGULAR TOL ± 0.5 °		THIRD ANGLE PROJECTION		<p>EC NO: 796588   DRWN: BHARAK12   2024/08/27</p> <p>CHK'D: BHARAK12   2024/08/28</p> <p>APPR: SSHANMUGAN01   2024/08/28</p> <p>INITIAL REVISION:</p> <p>DRWN: BANDURA   2006/04/19</p> <p>APPR: APATEL   2006/05/18</p>	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING		SHEET NUMBER	
		A1-SIZE		4 OF 4	