


## DG MOD 750 (952 017)


- High discharge capacity due to heavy-duty zinc oxide varistors / spark gaps
- Easy replacement of protection modules without tools due to module locking system with module release button
- The plug-in protection module can be replaced without the need to de-energise and without removing the distribution board cover



Figure without obligation



Basic circuit diagram DG MOD 750



Dimension drawing DG MOD 750

Varistor-based protection module for DEHNgard M WE ... and DEHNgard S WE ... surge arresters with a rated varistor voltage  $U_{\text{mov}} = 750 \text{ V a.c.}$

Type Part No.	DG MOD 750 952 017
Nominal discharge current (8/20 $\mu\text{s}$ ) ( $I_n$ )	15 kA
Max. discharge current (8/20 $\mu\text{s}$ ) ( $I_{\text{max}}$ )	25 kA
Max. continuous operating a.c. voltage ( $U_c$ )	600 V
Max. continuous operating d.c. voltage ( $U_c$ )	600 V
Rated varistor voltage ( $U_{\text{mov}}$ )	750 V
Weight	63 g
Customs tariff number	85363030
GTIN	4013364113329
PU	1 pc(s)

We reserve the right to introduce changes in performance, configuration and technology, dimensions, weights and materials in the course of technical progress. The figures are shown without obligation.