





SAMZO REAC/ROHS

REV	ECN NO	DESCRIPTION	DESIGN	APPROVAL	DATE
A1	NEW	Replace frame			2018.06.12





- Technical Requirements:
1. Material: Stainless steel SUS301, T = 0.15 ± 0.005;
 2. Burrs are not allowed on the soldering surface and contact surface of the terminal tin feet, and the maximum burr on other parts is 0.03mm;
 3. Twist: 45°/1000mm, arch 5mm/1000mm;
 4. The dimensions marked with "▼" symbol are key control and inspection dimensions;
 5. Unmarked R MAX R0.13;
 6. The electroplating must pass the 24-hour salt spray test;
 7. The life test is > 20,000 times, and the product elasticity is required to be between 60gf - 80gf
 8. The nickel base is 50 - 80u" min, and the product surface is tin-plated 80 - 100u" min
 9. The product needs to comply with the ROHS regulations, and the applicable thickness of the shielding cover material is 0.20T



SC 44 08 080 - 15 T C

- Coating: Tin Plating
- Material: SUS301-T015
- Clip Distance: 0.15mm
- Height: H 0.8mm
- Width: C 0.8mm
- Length: L 4.4mm
- Series: 44 Shielding Clips



ITEM	DESCRIPTION	MATERIAL	QTY	FINISH/COLOR					
A	本体	SUS301-T0.15mm	1	镀锡					
					GENERAL TOLERANCE				
					≥0~2<	±0.15			
					DESIGN	WANGUIFA	2018.06.12	≥2~5<	±0.25
					CHECKED	ZHENGUILAN	2018.06.12	≥0~2<	±0.15
					APPROVED	LILIANJIANG	2018.06.14	≥5	±0.35

FIRST VIEW

SCALE 1:1 UNIT mm

SAMZO COMPONENTS
Electronic switch and connector manufacturer

The copyright belongs to samzo parts [China] Co., Ltd. please use the material after samzo parts agree to authorize. The final right of interpretation belongs to samzo parts.
WWW.KKK-JP.COM

TITLE: 44型 屏蔽夹 (1.5mm夹距)
DWG NO: SC4408-P001
PART NO: SC4408231101
MODEL NO: SC4408080-15TC
NAME: SHIELD CLIP