FOC-TOOL-STRIPPING-1HOLE-250 - FO accessories



1407004

https://www.phoenixcontact.com/us/products/1407004

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Fiber stripper 1-hole 250 μ m, for stripping the coating from 250 μ m to 125 μ m



Product description

1-hole fiber stripper: 250 to 125 μm

Your advantages

- · High reliability with comprehensive quality assurance measures
- · Intuitive front-panel operation and clear control cabinet layout thanks to uniform design

Commercial data

Item number	1407004
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ABNIEY
Catalog page	Page 383 (C-2-2019)
GTIN	4046356787901
Weight per piece (including packing)	81.8 g
Weight per piece (excluding packing)	2.22 g
Country of origin	US

FOC-TOOL-STRIPPING-1HOLE-250 - FO accessories



1407004

https://www.phoenixcontact.com/us/products/1407004

Technical data

Product properties		
Product type	Data plug	
Material specifications		
Color	yellow	
Housing material	Plastic	
Cable/line FO cable		
Transmission medium	FO	
Environmental and real-life conditions		
Ambient conditions		
Degree of protection	IP20	



1407004

https://www.phoenixcontact.com/us/products/1407004

Classifications

ECLASS

ECLASS-11.0	21049090
ECLASS-12.0	21049090
ECLASS-13.0	21049090

ETIM

	ETIM 9.0	EC011823		
UN	UNSPSC			
	UNSPSC 21.0	27111500		

FOC-TOOL-STRIPPING-1HOLE-250 - FO accessories



https://www.phoenixcontact.com/us/products/1407004

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com