
696422-2 - ACTIVE

PIDG

TE Internal #: 696422-2 Closed Ring Tongue Terminal, 22 – 16 AWG, #4 Stud Size, .119 in Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: #4

Features

Product Type Features

Terminal Features

Sheared



| Ring Terminal Product Type | Closed Ring Tongue Terminal |
|--|-----------------------------|
| Stud Size | #4 |
| Sealable | No |
| Wire Insulation Support Retention Type | Insulation Support |
| Configuration Features | |
| Number of Holes | 1 |
| Body Features | |
| Insulation Sleeve Color | Natural |
| Stripe Color | Red |
| Product Weight | .706 g |
| Contact Features | |
| Barrel Type | Closed |
| Terminal Orientation | Straight |
| Terminal Plating Material | Tin |
| Mechanical Attachment | |

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 22 – 16 AWG, #4 Stud Size, .119 in Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



| Wire Insulation Support | With |
|---------------------------------------|-------------------------------|
| Dimensions | |
| | .119 in |
| Wire Size | 509 – 3260 CMA |
| Tongue Thickness | .79 mm[.031 in] |
| Product Length | 17.2 mm[.677 in] |
| Compatible Insulation Diameter (Max) | 3.18 mm[.125 in] |
| Compatible Insulation Diameter Range | 2.03 – 3.18 mm[.08 – .125 in] |
| Usage Conditions | |
| Insulation Option | Partially Insulated |
| Operating Temperature Range | 150 °C[302 °F] |
| Operation/Application | |
| Compatible With Wire Base Material | Copper |
| Compatible With Wire Plating Material | Tin |
| Industry Standards | |
| Government Qualified Terminal | No |
| Packaging Features | |

| Packaging | Quantity |
|-----------|----------|
|-----------|----------|

Packaging Method

Loose Piece

1000

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |


Closed Ring Tongue Terminal, 22 – 16 AWG, #4 Stud Size, .119 in Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Closed Ring Tongue Terminal, 22 – 16 AWG, #4 Stud Size, .119 in Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG




Also in the Series | PIDG





Splices(39)

Customers Also Bought



Closed Ring Tongue Terminal, 22 – 16 AWG, #4 Stud Size, .119 in Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG





Documents

Product Drawings PIDG PVF2 22-16COMM 22-18MIL 4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_696422-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_696422-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_696422-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.