HD16-9-1939S-P080 ACTIVE

DEUTSCH | DEUTSCH HD10

TE Internal #: HD16-9-1939S-P080

Housing for Female Terminals, Wire-to-Wire, 9 Position, Sealable, Green, Wire & Cable, Power, Cable Mount (Free-Hanging), Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH HD10 Housings



Connector System: Wire-to-Wire

Number of Positions: 9

Connector & Housing Type: Housing for Female Terminals

Sealable: Yes

Mating Pin Diameter: 1.6 mm [.063 in]

All DEUTSCH HD10 Housings (53)

Features

Product Type Features

Operating Voltage

Body Features

Cable Exit Angle

Nominal Voltage Architecture

Mixed & Hybrid Connector	No
Connector Shape	Circular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Configuration Features	
Blank Cavity Position	0
Connector Modification	J1939 Type II
Number of Positions	9

250 VAC

250 V

180°



Primary Product Color	Green
Contact Features	
Contact Size	Size 16
Contact Type	Socket
Mating Pin Diameter	1.6 mm[.063 in]
Contact Current Rating (Max)	13 A
Mechanical Attachment	
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarization Rib
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA66 GF15
Dimensions	
Connector Height	41.5 mm[1.63 in]
Product Width	40.5 mm[1.59 in]
Product Length	40.5 mm[1.59 in]
Compatible Insulation Diameter Range	2.5 – 3.8 mm[.1 – .15 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
Degree of Protection	IP68, IP6K9K
UL Flammability Rating	20mm Flame Test per Standard UL-94
Packaging Features	
Packaging Quantity	1
Packaging Method	Package
Other	



Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts















Also in the Series | DEUTSCH HD



Automotive Connector Caps & Covers (32)



Automotive Housings(768)



Connector Backshells(29)



Connector Seals & Cavity Plugs(10)




Connector Strain Relief(5)



Insertion & Extraction Tools(11)



Other Automotive Connector Accessories(11)



PCB Headers & Receptacles(1)

Also in the Series | DEUTSCH HD10






Automotive Connector Caps & Covers (17)



Automotive Housings(53)




Connector Backshells(17)



PCB Headers & Receptacles(1)

Customers Also Bought















Documents

Product Drawings

PLG, 9P, GRN, N, J1939, TYPE 2

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_HD16-9-1939S-P080_99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_HD16-9-1939S-P080_99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_HD16-9-1939S-P080_99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Housing for Female Terminals, Wire-to-Wire, 9 Position, Sealable, Green, Wire & Cable, Power, Cable Mount (Free-Hanging), Hybrid



Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English