



Part Number : [1501781030](#)  
Product Description : Standard .062"+  
Receptacle Housing, Single Row, 3 Circuits  
Series Number : 150178  
Status : Active  
Product Category : Connector Housings



---

## Documents & Resources

### Drawings

[1501781030\\_sd.pdf](#)

### 3D Models and Design Files

[1501781030\\_stp.zip](#)

### Specifications

[1501760001-AS-000.pdf](#)

[PK-150176-001-001.pdf](#)

[1501760001-PS-000.pdf](#)

[1501760001-TS-000.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Connector Housings
Series	150178
Description	Standard .062"+ Receptacle Housing, Single Row, 3 Circuits
Application	Power, Wire-to-Wire
Product Name	Standard .062"+
UPC	889056490368

### Agency

UL	E29179
----	--------

### Physical

Circuits (maximum)	3
Color - Resin	Natural
Flammability	94V-2
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.955/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	N/A
Pitch - Mating Interface	3.68mm
Pitch - Termination Interface	3.68mm

Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
Standard .062"+ Single Row Plug Housings	<u>150176</u>

### Use with Part(s)

Description	Part Number
Standard .062"+ Female Terminals	<u>150181</u>