

### Micro-MaTch | Micro-MaTch Industrial

TE Internal #: 2205076-2

MICRO-MATCH MOW Cable Assembly, 20 Positions, .15 m [.492


ft], Gray Cable, Equalized, 28 AWG, 159.8 – 159.88 mm², Ribbon

Cable, MICRO-MATCH MOW Plug

View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > MICRO-MATCH STD MOW TO MOW CABLE ASSY



Cable Assembly Type: MICRO-MATCH MOW

Cable Assembly (End A): MICRO-MATCH MOW Plug
Cable Assembly (End B): MICRO-MATCH MOW Plug

Wire Size: 159.8 – 159.88 mm<sup>2</sup>

#### All MICRO-MATCH STD MOW TO MOW CABLE ASSY (27)

## **Features**

## **Product Type Features**

Cable Assembly Category	Industry Standard
Cable Assembly Type	MICRO-MATCH MOW
Cable Assembly (End A)	MICRO-MATCH MOW Plug
Cable Assembly (End B)	MICRO-MATCH MOW Plug
Cable Style	Ribbon Cable

## **Configuration Features**

Keyed Position	1
Number of Positions	20
Number of Signal Positions	20

### **Body Features**

Cable Color	Gray
Cable Flammability Rating	UL 2651
Equalized	Yes

## Mechanical Attachment

#### **Dimensions**



Wire Size	159.8 – 159.88 mm²
Operation/Application	
Shielded	No
Halogen Free	No
Other	
Cable Assembly Configuration	Double Ended
Cable Assembly Length	.15 m[.492 ft]

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## **Compatible Parts**





## Also in the Series | Micro-MaTch Industrial









Connector Contacts(4)

Insertion & Extraction Tools(1)

Pluggable I/O Cable Assemblies(52)



# Customers Also Bought



TE Part #1SNA400772R1300 D70/22.P



TE Part #2309877-1
TAB CONNECTOR

SBP091287WE4-2P



TE Part #1-1768030-2 LBG-U-02652/1



TE Part #2205501-1
CA MICRO-MATCH MOW-MOW
20POS



TE Part #5-1768031-0 LBG-U-02776/1 TE Part #5-1768031-3 LBG-U-02776/4



TE Part #5-1768415-6

LBG-U-01562/3

TE Part #AEA225H16000249000
623 R SPEEDTEC-R 9POS 25X25 IG3
CODE60

## **Documents**

**Product Drawings** 

CA MICRO-MATCH MOW-MOW 20POS

English

**Product Specifications** 

**Application Specification** 

English

micro match miniature connector system

English