



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: Pin

Wire Size: 1021 – 2048 CMA

Barrel Type: Open

Features

Product Type Features

Compatible With Discrete Wire Type	Stranded
------------------------------------	----------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Crimp Wire Terminal Type	Pin
Barrel Type	Open
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	1021 – 2048 CMA
Terminal Material Thickness	.33 mm[.013 in]
Overall Product Length	7 mm[.275 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------



Packaging Features

Packaging Quantity	40000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 926867-2
AM WIRE PIN 13-10 .013 PTPB

TE Part # 1-925552-0
AM WIRE PIN 20-17 AWG .0126 PTPPB

TE Part # 1725724-2
DIE SET .5-1.0MM WIRE PIN

TE Part # 2150219-1
OCEAN_2.0_APPLICATOR-E-080F-REM



TE Part # 2150219-2
[OCEAN_2.0_APPLICATOR-E-080F-REA](#)

KIT
REPRESENTATION ONLY
TE Part # 7-2150219-7
[OCEAN_2.0_SPARE_PART_KIT-080F](#)

Customers Also Bought

TE Part #1586106-3
[3P RCPT VAL-U-LOK SR V0](#)

TE Part #770086-1
[06P .093 COMM P&S RECPT HSG](#)

TE Part #3-520340-2
[ULTRA-FAST 187 ASY REC 16-14 AWG TPBR](#)

TE Part #316292-1
[3.2 CLUSTER REC L-TYPE](#)

TE Part #62303-2
[AMVAR SPLC 400-1500 016TPBR](#)

TE Part #2-322996-1
[TERMINAL,SOLIS SPD 16-14 6](#)

TE Part #160660-2
[SPLICE 22-18 AWG .013 TPBR](#)

TE Part #200512-2
[FEMALE BLOCK 26 PL.](#)

TE Part #294919-E
[SRCP 1,27 10 M 1 SMD 137 E1 094 * GU-H *](#)

TE Part #60598-1
[058 PIN REC IS 22-20 010PTPHBZ](#)

Documents

Product Drawings

[AM WIRE PIN 20-17 .013 PTPB](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_926823-4_D.2d_dxf.zip](#)

English

[3D PDF](#)



3D

Customer View Model

[ENG_CVM_CVM_926823-4_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_926823-4_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

[Product Specifications](#)

[Application Specification](#)

English