42110-3 - ACTIVE

TE Internal #: 42110-3 Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud Size, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Unplated, Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **1624 – 4106 CMA**

Stud Size: **#10**

Features

Product Type Features

Shape Description

Circular/Oval

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	.433 g
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Unplated
Contact Underplating Material	None

42110-3

Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud Size, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Unplated, Uninsulated



Mechanical Attachment

Wire Insulation Support Without				
Dimensions				
Wire Size	1624 – 4106 CMA			
Stud Diameter	4.82 mm[.19 in]			
Tongue Thickness	.76 mm[.03 in]			
Product Length	14.48 mm[.57 in]			
Barrel Inside Diameter	1.39 mm[.055 in]			
Usage Conditions				
Insulation Option	Uninsulated			
Operating Temperature Range	110 °C[230 °F]			
Operation/Application				
Compatible With Wire Base Material	Copper			
Industry Standards				
Government Qualified Terminal	No			
Packaging Features				
Packaging Quantity	16000			

•	aonag	 20011	ci cy	

Packaging Method

Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

42110-3

Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud Size, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Unplated, Uninsulated



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Customers Also Bought









ETE	ETE	ETE	TE
TE Part #53242-2 PG SPR SPD 22-16COM22-18MIL 10	TE Part #52453-1 PG SPR SPD 22-16COMM22-18MIL 6	TE Part #61944-2 250 FASTON REC 18-14 AWG TPBR	TE Part #521208-1 POSI-LOK HSG.250-6 POS RAST5
	TE		ETE
TE Part #42742-1 250 FASTON FLAG REC 18-12 AWG BR	TE Part #1217095-1 RCPT 250 POS-LOCK 16-12 0126BR	TE Part #520197P044 RT-3-NO.2-0-1.125IN	TE Part #2-31807-2 TERMINAL,SOLIS R 8 10

42110-3

Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud Size, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Unplated, Uninsulated





Documents

Product Drawings RING TERMINAL 18-14 AWG BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_42110-3_AB_c-42110-3-ab.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_42110-3_AB_c-42110-3-ab.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_42110-3_AB_c-42110-3-ab.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English