

Neohm | Neohm LR TE Internal #: 1622412-1 General Purpose Resistor, Thin Film, .6 W, 2K ohm, 1 %, ±50 ppm/° C, Axial-Leaded, Copper Termination, 6.2 x 2.3 mm, Ammo Packed, Neohm LR

View on TE.com >

Passive Components > Resistors > Through-Hole Resistors



Resistor Type: General Purpose Resistor

Element Type: Thin Film

Power Rating: .6 W

Resistance Class: $1k\Omega - 1M\Omega$

Resistance Value: $2K \Omega$

Features

Product Type Features

Resistor Type

Element Type

E T E connectivity

General Purpose Resistor

Thin Film

1

Configuration Features

Number of Resistors

Electrical Characteristics

Operating Voltage	350 V			
Power Rating	.6 W			
Resistance Class	1kΩ – 1MΩ			
Resistance Value	2Κ Ω			
Passive Component Tolerance	1 %			
Body Features				
Lead Type	Axial-Leaded			
Termination Features				
Termination Area Base Material	Copper			
Number of Terminations	2			
Dimensions				
Passive Component Dimensions	6.2 x 2.3 mm			

LR1F2K0

General Purpose Resistor, Thin Film, .6 W, 2K ohm, 1 %, ±50 ppm/°C, Axial-Leaded, Copper Termination, 6.2 x 2.3 mm, Ammo Packed, Neohm LR



Usage Conditions

Ο	perating	Tem	perature	Range
	J			J

Temperature Coefficient

Packaging Features

Packaging Method

-55 – 155 °C

±50 ppm/°C

Ammo Packed

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

LR1F2K0


General Purpose Resistor, Thin Film, .6 W, 2K ohm, 1 %, ±50 ppm/°C, Axial-Leaded, Copper Termination, 6.2 x 2.3 mm, Ammo Packed, Neohm LR







Also in the Series | Neohm LR



Customers Also Bought



LR1F2K0

General Purpose Resistor, Thin Film, .6 W, 2K ohm, 1 %, ±50 ppm/°C, Axial-Leaded, Copper Termination, 6.2 x 2.3 mm, Ammo Packed, Neohm LR



Documents

Product Drawings LR1 1% 2K0

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1622412-1_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1622412-1_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1622412-1_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1309350_PASSIVE_COMPONENT

English

Metal Film Fixed Resistors - Type LR series

English