



REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
1			INITIAL RELEASE	2018.09.28	Alex_Z
2			ADD P/N	2021.12.28	Alex_Z





NOTES:
 PRODUCT MEETS CONTROLLED SUBSTANCES SPEC.
 1. MATERIAL:
 1.1 HOUSING: PA4T,94V-0,BLACK.
 2. THE COMPONENT COMPLIANT TO ROHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EC

5704BG-003R1* ** B- **

T: ACQUIESCENT
 PIN NO.:
 04: 4PIN


 24: 24PIN
 COLOR:
 0: BLACK
 1: NATURAL
 R: RoHS
 H: HALOGEN-FREE
 WTB




DATE
LAST CKT


DIM.A	PIN NO.
7.70	4
10.20	6
12.70	8
15.20	10
17.70	12
20.20	14
22.70	16
25.20	18
27.70	20
30.20	22
32.70	24

DIM	TOL	DIM	TOL
x.	±0.35	x.	±2'
.x			
.xx	±0.25		

 DEREN SHENZHEN DEREN ELECTRONIC CO., LTD		CUSTOMER DRAWING		DATE	TITLE: RECEPTACLE OF NANO-FIT S/R TAP POWER CONNECTOR
		DESIGN: Alex_Z	2021.12.28	P/N: SEE TABLE	
DRAW NO. ***		CHECK:		SHEET: 1/4	
REV. 2	APPROVAL:			SCALE: N/A	UNIT: mm






DIM	TOL	DIM	TOL	DEREN SHENZHEN DEREN ELECTRONIC CO., LTD			
x.	±0.35	x.	±2'	CUSTOMER DRAWING	DATE	TITLE: RECEPTACLE OF NANO-FIT S/R TAP POWER CONNECTOR	
.x				DRAW NO. ***	DESIGN: Alex_Z	2021.12.28	P/N: SEE TABLE
.xx	±0.25			CHECK:			SHEET: 2/4
				REV. 2	APPROVAL:		SCALE: N/A UNIT: mm




TERMINAL AND TAP ORIENTATION

DIM	TOL	DIM	TOL
x.	±0.35	x.	±2'
.x			
.xx	±0.25		

		DEREN SHENZHEN DEREN ELECTRONIC CO., LTD			
		CUSTOMER DRAWING		DATE	
DRAW NO. ***		DESIGN:	Alex_Z	2021.12.28	TITLE: RECEPTACLE OF NANO-FIT S/R TAP POWER CONNECTOR
REV. 2		CHECK:			P/N: SEE TABLE
APPROVAL:					SHEET: 3/4 
					SCALE: N/A UNIT: mm



DIM	TOL	DIM	TOL
.x	±0.35	x.	±2'
.x			
.xx	±0.25		



DEREN			
SHENZHEN DEREN ELECTRONIC CO., LTD			
CUSTOMER DRAWING	DATE	TITLE: RECEPTACLE OF NANO-FIT S/R TAP POWER CONNECTOR	
DESIGN: Alex_Z	2021.12.28	P/N: SEE TABLE	
CHECK:		SHEET: 4/4	
APPROVAL:		SCALE: N/A	UNIT: mm
DRAW NO. ***	REV. 2		